

ZONING

342 Attachment 2

Village of Mamaroneck

SCHEDULE OF MINIMUM REQUIREMENTS FOR RESIDENTIAL DISTRICTS

[Amended 9-11-1972, effective 9-27-1972; 10-25-1982 by L.L. No. 13-1982, effective 11-2-1982; 10-9-1984 by L.L. No. 22-1984, effective 10-29-1984; 5-13-1985 by L.L. No. 13-1985, effective 5-22-1985; 4-28-1986 by L.L. No. 10-1986, effective 5-8-1986; 9-14-1988 by L.L. No. 11-1988, effective 9-22-1988; 9-26-1989 by L.L. No. 17-1989, effective 10-5-1989; 11-13-2000 by L.L. No. 12-2000, effective 11-22-2000; 5-12-2008 by L.L. No. 5-2008, effective 5-15-2008; 11-24-2014 by L.L. No. 18-2014, effective 12-10-2014; 11-28-2016 by L.L. No. 22-2016, effective 12-7-2016; 8-14-2017 by L.L. No. 9-2017, effective 8-28-2017; 3-11-2024 by L.L. No. 4-2024, effective 3-15-2024]

1 District	2 Minimum Lot Area (square feet)	3 Minimum Lot Width and Frontage (feet)	4 Minimum Lot Depth (feet)	5 Minimum Habitable Floor Area (square feet)	6 Maximum Height of Principal Building		8 Front (feet)	9 Minimum Required Yards			12 Maximum Coverage All Buildings (as percentage of lot area)	12A Maximum Building Coverage and Impervious Surfaces (as percentage of lot area)	13 Other Requirements	14 Maximum Floor Area Ratio
					7 Stories	7 Feet		9 Lesser Side (feet)	10 2 Sides Combined (feet)	11 Rear (feet)				
R-20 One-Family	20,000	100	100	2-story: 1,800; 1-story: 1,650	2 1/2	35	25	20	45	30	35%	45%	Notes 4, 6, 11	See § 342-27.1
R-15 One-Family	15,000	100	100	2-story: 1,800; 1-story: 1,650	2 1/2	35	25	15	35	30	35%	45%	Notes 4, 6, 11	See § 342-27.1
R-10 One-Family	10,000	100	100	2-story: 1,600; 1-story: 1,400	2 1/2	35	25	10	25	30	35%	45%	Notes 6, 11	See § 342-27.1
R-7.5 One-Family	7,500	75	100	2-story: 1,600; 1-story: 1,400	2 1/2	35	25	8	20	30	35%	45%	Notes 4, 6, 11	See § 342-27.1
R-6 One-Family	6,000	60	100	2-story: 1,500; 1-story: 1,300	2 1/2	35	20	8	18	25	35%	45%	Notes 4, 6, 11	See § 342-27.1
R-5 One-Family	5,000	50	100	2-story: 1,400; 1-story: 1,100	2 1/2	35	20	6	14	25	35%	45%	Notes 4, 6, 11	See § 342-27.1
R-2F One- and Two-Family	3,750 per dwelling unit	75	100	Each dwelling unit: 900	2 1/2	35	20	6 <sup>7</sup>	16 <sup>7</sup>	25	35%	45%	Notes 6, 11	See § 342-27.1
R-4F One- to Four-Family	2,500 per dwelling unit	50	100	Each dwelling unit: 900	2 1/2	35	20	6 <sup>7</sup>	16 <sup>7</sup>	25	35%	45%	Notes 6, 11	0.70
RM-1 Multiple Residence	40,000 but not less than 2,500 per dwelling unit	150	150	—	2 1/2	35	40	30	60	25	25%	35%	Notes 2, 3, 4, 5, 6, 7, 11	0.50
RM-2 Multiple Residence	20,000, but not less than 1,500 per dwelling unit	150	150	—	3 (3 1/2 on wide streets)	40	25	25	50	25	30%	40%	Notes 1, 2, 3, 4, 5, 6, 7, 8, 11	0.80
RM-3 Multiple Residence	7,500, but not less than 800 per dwelling unit	100	100	—	4 (4 1/2 on wide streets)	50	5	8	20	25	50%	60%	Notes 1, 2, 3, 4, 5, 6, 7, 8, 11	1.2
RM/SC Multiple Residence/Senior Citizen	20,000, but not less than 300 per dwelling unit	100	100	415	8 (4 1/2 on wide streets)	75	10	5	10	30	50%	60%	Notes 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11	4.0
P Parking	5,000	50	—	—	2	35	Minimum of 3 feet and maximum of 20 feet, as determined by the Planning Board			10%	50%	Notes 4, 6 and § 342-16. (Preceding standards apply only to P District)	—	

NOTES:

- <sup>1</sup> The Planning Board may approve a site plan which increases to the total number of permissible dwelling units by 20% to provide for below-market housing in accordance with Article XV of this chapter. In addition, where at least 2/3 of a project's units are a mix of zero- and one-bedroom units, the Planning Board may grant an additional 10% bonus in the total number of permissible dwelling units. This bonus shall be dependent upon a finding of no seriously adverse impact upon the school district.
- <sup>2</sup> There shall be provided a minimum of 400 square feet of usable open space per dwelling unit in the RM-1 District, 300 square feet per dwelling unit in the RM-2 District, 150 square feet per dwelling unit in the RM-3 District and, in the RM/SC District, the amount of usable open space shall be determined by the Planning Board during site plan approval. "Usable open space" shall be defined as active recreation, sitting or landscaped areas open to the sky. Parking shall not be considered usable open space. On any lot containing more than 15 dwelling units, the design, layout and equipment of such open space shall be subject to Planning Board approval. Rooftop and atrium open spaces that are open to all the residents of the building may account for up to 10% of the open space requirements if the Planning Board finds that they provide usable open space. For purposes of open space calculations, an "atrium" is defined as a continuous area open to a sidewalk and street which is open and unobstructed, except for sitting and landscaped areas, to a height of at least 25 feet and whose roof and wall configuration allows natural sunlight as the main light source.
- <sup>3</sup> No building may exceed a length of 160 feet in overall dimension in the RM-1 Zone or 185 feet in overall dimensions in the RM-2 and RM-3 Zones.
- <sup>4</sup> The following minimum distances shall be observed between buildings on the same lot: a distance equal to the average height of such buildings at the points where such buildings are nearest each other.

## MAMARONECK CODE

- <sup>5</sup> The least horizontal dimension of any court, at any level, shall be not less than the height of any vertical wall forming part of such court above the sills of the lowest windows served by such court, but not less than 20 feet for an outer court nor less than 40 feet for an inner court.
- <sup>6</sup> For off-street parking and loading requirements, see Article VIII.
- <sup>7</sup> No side yards are required between attached dwellings.
- <sup>8</sup> On Mamaroneck Avenue and Boston Post Road, the Planning Board may approve an additional half floor if it is determined by the Board that such a half floor will not present undue bulk and height or be incompatible with the adjacent properties, and provided that such an additional half floor will not cover more than 50% of the building footprint and will be set back from at least two sides of the building at least one foot horizontally for every one foot in elevation. The latter requirement on horizontal setback may be waived by the Planning Board on any building whose setback to the street or adjacent homes exceeds the required setbacks by 50%. In the case of two or more buildings, the Planning Board may allow a full fourth floor on one of the buildings, provided that such a floor still does not exceed 50% of the footprint of all the permitted buildings.
- <sup>9</sup> In the RM/SC Residence District, a building may have a mix of studios, one- and two-bedroom units. However, the number of two-bedroom units may not normally exceed 15% of the total dwelling units, unless the applicant can show, to the satisfaction of the Planning Board, that such units are necessary for senior citizens and will only be used exclusively by senior citizens.
- <sup>10</sup> In the RM/SC Residence District, the following special requirements for the elderly and handicapped shall apply:
- (a) Walks, ramps and driveways: Gradients shall not exceed 10%; single riser grade changes in walks shall not be permitted.
  - (b) Handrails: Handrails shall be provided as deemed necessary by the Planning Board, for the handicapped.
  - (c) Fixtures: The size of the kitchen and bathroom and arrangement of the fixtures, accessories and trim shall be selected for and provide the maximum features of design that contribute to the safety, convenience and aid to older persons. The bathroom floor finish shall be impervious to water, have nonslip characteristics and slope inward. The threshold shall be flush with the floor. Doors of all rooms shall be of sufficient width, at least two feet 10 inches, to accommodate wheelchairs and persons on crutches.
  - (d) Elevators: Elevator service shall be provided to all floors.
- <sup>11</sup> Every accessory building or structure shall conform in all respects to the minimum front and side yard setbacks applicable to the lot in question and shall not be located closer than six feet to the rear lot line.