

Ordinance No. 07-25

AN ORDINANCE APPROVING AMENDMENTS TO THE LAND MANAGEMENT CODE OF PARK CITY, UTAH, TO ADDRESS SUBSTANTIVE REVISIONS TO CHAPTER 2.2 HISTORIC RESIDENTIAL (HR-1) DISTRICT, CHAPTER 2.23 COMMUNITY TRANSITION (CT) DISTRICT, CHAPTER 3- PARKING, CHAPTER 4- SUPPLEMENTAL REGULATIONS, CHAPTER 15- DEFINITIONS, AND CHAPTER 2- ZONING DISTRICTS.

WHEREAS, the Land Management Code is designed and enacted to implement the objectives of the Park City General Plan; to protect the general health, safety, and welfare of Park City's citizen's and property owners; to maintain the quality of life and experience for its residents and visitors; and to preserve the community's unique character and values;

WHEREAS, the City reviews the General Plan and Land Management Code on an annual basis and identifies necessary amendments to the Land Management Code to address substantive revisions;

WHEREAS, Chapter 2-2- Historic Residential (HR-1) District allows a parking waiver for Bed and Breakfast Inns, Boarding Houses, and Hotel/Motel uses which are more intensive uses than Single Family and other Dwelling Units. These uses are only allowed in historic structures. As the historic neighborhoods build out with infill development, less on-street parking is available. The intent of these amendments is to require these more intense uses to provide parking according to the LMC requirements as stated in Chapter 3- Parking;

WHEREAS, Chapter 2-23- Community Transition (CT) Zoning District lists "Conservation Activities" as both an Allowed Use and a Conditional Use and the intent of the CT District is for Conservation Activities to be an Allowed Use consistent with the Park City General Plan;

WHEREAS, Chapter 3- Parking includes an amendment to require additional parking for Nightly Rental uses with more than 6 bedrooms due to the increased impacts of such rentals;

WHEREAS, Chapter 4- Supplemental Regulations includes requirements for review of height of walls and retaining walls and additional clarity is necessary to not conflict with regulations in other areas of the LMC;

WHEREAS, Chapter 15- Definitions provide clarity of meaning for words used in the Land Management Code and amendments to existing definitions are necessary to clarify and differentiate between various lodging uses, such as Bed and Breakfast Inns, Boarding Houses, Guest Houses, Hotels/Motels. Additional clarity was necessary for Accessory Apartments, Nightly Rental, and Pitched Roofs;

WHEREAS, Chapter 2- Zoning Districts includes an amendment to require a minimum roof pitch of 4:12 in order to qualify for the Building Height exception;

WHEREAS, these amendments are changes identified since the 2006 Land Management Code revisions;

WHEREAS, the Planning Commission duly noticed and conducted a public hearing at its regularly scheduled meeting on February 28, 2007 and on March 28, 2007 and forwarded a positive recommendation to the City Council;

WHEREAS, the City Council duly noticed and conducted a public hearing at its regularly scheduled meeting on April 19, 2007; and

WHEREAS, it is in the best interest of the residents of Park City, Utah to amend the Land Management Code to be consistent with the Utah State Code and the Park City General Plan, and to be consistent with the values and identified goals of the Park City community to protect health and safety, maintain the quality of life for its residents, and to preserve the community's unique character.

NOW, THEREFORE, BE IT ORDAINED by the City Council of Park City, Utah as follows:

SECTION 1. AMENDMENT TO CHAPTER 2.2 OF THE LAND MANAGEMENT CODE. Chapter 2.2 is hereby amended as attached hereto as Exhibit A. Any conflicts or cross-references from other provisions of the LMC to Chapter 2.2 shall be resolved by the Planning Director.

SECTION 2. AMENDMENTS TO CHAPTER 2.23 OF THE LAND MANAGEMENT CODE. Chapter 2.23 is hereby amended as attached hereto as Exhibit B. Any conflicts or cross-references from other provisions of the LMC to Chapter 2.23 shall be resolved by the Planning Director.

SECTION 3. AMENDMENTS TO CHAPTER 3 OF THE LAND MANAGEMENT CODE. Chapter 3 is hereby amended as attached hereto as Exhibit C. Any conflicts or cross-references from other provisions of the LMC to Chapter 3 shall be resolved by the Planning Director.

SECTION 4. AMENDMENTS TO CHAPTER 4 OF THE LAND MANAGEMENT CODE. Chapter 4 is hereby amended as attached hereto as Exhibit D. Any conflicts or cross-references from other provisions of the LMC to Chapter 4 shall be resolved by the Planning Director.

SECTION 5. AMENDMENTS TO CHAPTER 15 OF THE LAND MANAGEMENT CODE. Chapter 15 is hereby amended as attached hereto as Exhibit E. Any conflicts or cross-references from other provisions of the LMC to Chapter 15 shall be resolved by the Planning Director.

SECTION 6. AMENDMENTS TO CHAPTER 2 OF THE LAND MANAGEMENT CODE. Chapter 2 is hereby amended as attached hereto as Exhibit F. Any conflicts or cross-references from other provisions of the LMC to Chapter 2 shall be resolved by the Planning Director.

SECTION 7. EFFECTIVE DATE. This Ordinance shall be effective upon publication.


PASSED AND ADOPTED this 19th day of April, 2007


PARK CITY MUNICIPAL CORPORATION


Dana Williams, Mayor

Attest:

Janet M. Scott, City Recorder

Approved as to form:

Mark Harrington, City Attorney



- (2) Guest House on Lots one (1) acre or greater
- (3) Secondary Living Quarters
- (4) Accessory Apartment³
- (5) Group Care Facility
- (6) Child Care Center
- (7) Public and Quasi-Public Institution, church and school
- (8) Essential Municipal Public Utility Use, Facility, Service, and Structure
- (9) Telecommunication Antenna⁴
- (10) Satellite Dish, greater than thirty-nine inches (39") diameter⁵
- (11) Bed and Breakfast Inn⁶
- (12) Boarding House, hostel⁶
- (13) Hotel, Minor, (fewer than sixteen (16) rooms)⁶
- (14) Residential Parking Area or Structure with five (5) or more spaces.
- (15) Temporary Improvement⁷
- (16) Passenger Tramway Station and Ski Base Facility⁸

³See LMC Chapter 15-4, Supplemental Regulations for Accessory Apartments

⁴See LMC Chapter 15-4-14, Supplemental Regulations for Telecommunication Facilities

⁵See LMC Chapter 15-4-13, Supplemental Regulations for Satellite Receiving Antennas

⁶In Historic Structures only. Parking requirements of Chapter 15-3 shall apply.

⁷Subject to Administrative Conditional Use permit

⁸ See LMC Chapter 15-4-18, Passenger Tramways and Ski-Base Facilities

- (17) Ski Tow, Ski Lift, Ski Run, and Ski Bridge⁸
- (18) Recreation Facility, Private
- (19) Fences greater than six feet (6') in height from Final Grade^{7,9}

(C) **PROHIBITED USES.** Any Use not listed above as an Allowed or Conditional Use is a prohibited Use.

(Amended by Ord. No. 06-56)

15-2.2-3 LOT AND SITE REQUIREMENTS.

Except as may otherwise be provided in this Code, no Building Permit shall be issued for a Lot unless such Lot has the Area, width, and depth as required, and Frontage on a Street shown as a private or Public Street on the Streets Master Plan, or on a private easement connecting the Lot to a Street shown on the Streets Master Plan.

Minimum Lot and Site requirements are as follows:

(A) **LOT SIZE.** The minimum Lot Area is 1,875 square feet for a Single Family Dwelling and 3,750 square feet for a Duplex. The minimum width of a Lot is twenty five feet (25'), measured fifteen feet (15') back from the Front Lot Line. In the case of unusual Lot configurations, Lot width measurements shall be determined by the Planning Director.

⁹ See LMC Chapter 15-4-2, Fences and Walls

*

to a City staircase or pathway.

(10) Detached Accessory Buildings not more than eighteen feet (18') in height, located a minimum of five feet (5') behind the Front facade of the Main Building, maintaining a minimum Side Yard Setback of three feet (3').

(11) Screened mechanical equipment, hot tubs, or similar Structures located a minimum of five feet (5') from the Side Lot Line.

(J) **SNOW RELEASE**. Site plans and Building designs must resolve snow release issues to the satisfaction of the Chief Building Official.

(K) **CLEAR VIEW OF INTERSECTION**. No visual obstruction in excess of two feet (2') in height above road Grade shall be placed on any Corner Lot within the Site Distance Triangle. A reasonable number of trees may be allowed, if pruned high enough to permit automobile drivers an unobstructed view. This provision must not require changes in the Natural Grade on the Site.

(Amended by Ord. No. 06-56)

15-2.2-4. EXISTING HISTORIC STRUCTURES.

Historic Structures that do not comply with Building Setbacks, Off-Street parking, and driveway location standards are valid Complying Structures. Additions to Historic Structures are exempt from Off-Street parking requirements provided the addition

does not create a Lockout Unit or an Accessory Apartment. Additions must comply with Building Setbacks, Building Footprint, driveway location standards and Building Height. All Conditional Uses shall comply with parking requirements of Chapter 15-3. *

(A) **EXCEPTION.** In order to achieve new construction consistent with the Historic District Design Guidelines, the Planning Commission may grant an exception to the Building Setback and driveway location standards for additions to Historic Buildings:

- (1) Upon approval of a Conditional Use permit,
- (2) When the scale of the addition or driveway is Compatible with the Historic Structure,
- (3) When the addition complies with all other provisions of this Chapter, and
- (4) When the addition complies with the International Building and Fire Codes.

(Amended by Ord. No. 06-56)

15-2.2-5. BUILDING HEIGHT.

No Structure shall be erected to a height greater than twenty-seven feet (27') from Existing Grade. This is the Zone Height. In cases where due to excavation Final Grade is lower than Existing Grade, Building Height shall be measured from Final Grade around the perimeter of the Building. This measure shall not include approved window wells.

(E) The rooms are available for Nightly Rental only.

(F) An Owner/manager is living on-Site, or in Historic Structures there must be twenty-four (24) hour on-Site management and check-in.

(G) Food service is for the benefit of overnight guests only.

(H) No Kitchen is permitted within rental room(s).

*

(I) Parking on-Site is required at a rate of one (1) space per rentable room. ~~If no on-Site parking is possible, the Applicant must provide parking in close proximity to the Inn. The Planning Commission may waive the parking requirement if the Applicant proves that:~~

~~(1) no on Site parking is possible without compromising the Historic Structure or Site, including removal of existing Significant Vegetation, and all alternatives for proximate parking have been explored and exhausted; and~~

~~(2) the Structure is not economically feasible to restore or maintain without the adaptive Use.~~

(J) The Use complies with Chapter 15-1-10, Conditional Use review process.

15-2.2-10. VEGETATION PROTECTION.

The Property Owner must protect

Significant Vegetation during any Development activity. Significant Vegetation includes large trees six inches (6") in diameter or greater measured four and one-half feet (4.5') above the ground, groves of smaller trees, or clumps of oak and maple covering an Area fifty square feet (50 sq. ft.) or more measured at the drip line.

Development plans must show all Significant Vegetation within twenty feet (20') of a proposed Development. The Property Owner must demonstrate the health and viability of all large trees through a certified arborist. The Planning Director shall determine the Limits of Disturbance and may require mitigation for loss of Significant Vegetation consistent with Landscape Criteria in LMC Chapter 15-3-3 and Title 14.

(Amended by Ord. No. 06-56)

15-2.2-11. SIGNS.

Signs are allowed in the HR-1 District as provided in the Park City Sign Code (Title 12).

15-2.2-12. RELATED PROVISIONS.

- X Fences and Walls. LMC Chapter 15-4-2.
- X Accessory Apartment. LMC Chapter 15-4-7.
- X Satellite Receiving Antenna. LMC Chapter 15-4-13.
- X Telecommunication Facility. LMC Chapter 15-4-14.
- X Parking. LMC Chapter 15-3.
- X Landscaping. Title 14; LMC Chapter 15-3.3(D).

15-2.23-2. USES.

Uses in the Community Transition District are limited to the following:

(A) ALLOWED USES.

- (1) Conservation Activities

(B) CONDITIONAL USES.

- (1) Master Planned Developments (MPDs)
- (2) Public, Quasi-Public, Civic, Municipal Uses
- (3) General Acute Hospital
- (4) Alternative Professional Health-related Services
- (5) Athletic Training and Testing Offices and Facilities
- (6) Athletic Program Administrative Offices
- (7) Support Short-Term Athlete Housing (within an approved MPD)
- (8) Accredited Physician Office Space
- (9) Accredited Medical & Dental Clinics
- (10) Medical Heliport
- (11) Group Care Facility
- (12) Ancillary Support Commercial (within an approved MPD)
 - (a) Gift Shop
 - (b) Dispensing pharmacy
 - (c) Medical supply
 - (d) Restaurant
 - (e) Deli

- (f) Outdoor Grills/ Beverage Service Stations
- (g) Day Care
- (13) Recreation Facility, Public and Private
- (14) Recreation Facility, Commercial
- (15) Park and Ride Lot
- (16) Municipal/Institutional Accessory Building and Use
- ~~(17) Conservation Activity~~
- (18) Parking Lot, Public or
- (19) Public Utility or Essential Services
- (20) Single Family Dwelling (with an approved MPD¹)
- (21) Duplex Dwelling (with an approved MPD¹)
- (22) Multi-Unit Dwelling (with an approved MPD¹)

(C) PROHIBITED USES. Any Use not listed above as an Allowed or Conditional Use is a prohibited Use.

15-2.23-3. LOT AND SITE REQUIREMENTS.

Except as may otherwise be provided in this Code, no Building Permit will be issued for a Lot unless such Lot has the Area, width, and depth as required, and Frontage on a Street shown as a private or Public Street on the Streets Master Plan, or on private easement connecting the Lot to a Street shown on the Streets Master Plan. All Development must comply with the following:

¹ Residential Uses cannot exceed 1 unit/acre

each Dwelling Unit within the Structure. Specific Uses, and the related parking ratio requirements are also shown below: Also refer to 15-15 Definitions for clarification of Uses.

RESIDENTIAL PARKING RATIO REQUIREMENTS		
USE	PARKING RATIO (NUMBER SPACES)	
Accessory Apartment	1 per bedroom	
Lockout Unit in Single Family and Duplex Dwellings	1 per bedroom	
Single Family Dwelling	2 per Dwelling Unit	
Duplex Dwelling	2 per Dwelling Unit (4 total)	
Triplex Dwelling	2 per Dwelling Unit (6 total)	
Multi-Unit Dwelling	Apartment/Condominium not greater than 650 sf floor Area	1 per Dwelling Unit
	Apartment/Condominium greater than 650 sf and less than 1000 sf floor Area	1.5 per Dwelling Unit
	Apartment/Condominium greater than 1,000 sf and less than 2,500 sf floor Area	2 per Dwelling Unit

	Apartment/Condominium 2,500 sf floor Area or more	3 per Dwelling Unit
Dormitory	1 per 200 sf floor Area devoted to accommodations	
Boarding House, Hostel,	1 per 2 beds; and 1 per manager's unit	
Secondary Living Quarters	1 per bedroom in addition to requirements for primary residence	
Guest House	1 per Unit	
Nightly Rental	<u>Parking for the first six (6) bedrooms is based on the parking requirement for the Dwelling. An additional space is required for every additional 2 bedrooms utilized by the Nightly Rental use. Parking for Historic Structures may be allowed on the street adjacent to the Property, if approved by the Planning, Engineering, and Building Departments.</u>	

(B) **NON-RESIDENTIAL USES.** In non-residential projects, or for non-residential space associated with primarily residential Structures, the following parking requirements shall apply: Also refer to LMC Chapter 15-15, Definitions, for clarification of Uses.

NON-RESIDENTIAL PARKING RATIO REQUIREMENTS

PARK CITY MUNICIPAL CODE
TABLE OF CONTENTS
TITLE 15 LAND MANAGEMENT CODE - CHAPTER 4

TITLE 15 - LAND MANAGEMENT CODE

CHAPTER 4 - SUPPLEMENTAL REGULATIONS	1
15-4- 1. PURPOSE	1
15-4- 2. FENCES AND <u>RETAINING WALLS</u>	1
15-4- 3. HOME OCCUPATION	2
15-4- 4. SECONDARY LIVING QUARTERS	3
15-4- 5. LOCKOUT UNITS	4
15-4- 6. GUEST HOUSES	4
15-4- 7. ACCESSORY APARTMENTS	4
15-4- 8. GROUP CARE FACILITIES	8
15-4- 9. CHILD CARE AND CHILD CARE FACILITIES	10
15-4-10. TIMESHARE PROJECTS	18
15-4-11. TIMESHARE CONVERSION	19
15-4-12. CONDOMINIUM CONVERSION	22
15-4-13. PLACEMENT OF SATELLITE RECEIVING ANTENNAS	23
15-4-14. TELECOMMUNICATION FACILITIES	26
15-4-15. OUTDOOR DISPLAY OF WORKS OF ART ON CITY-OWNED PROPERTY	33
15-4-16. TEMPORARY STRUCTURES, TENTS, AND VENDORS.	34
15-4-17. SETBACK REQUIREMENTS FOR UNUSUAL LOT CONFIGURATIONS.....	35
15-4-18. PASSENGER TRAMWAYS AND SKI BASE FACILITIES	37
15-4-19. REVIEW CRITERIA FOR VEHICLE CONTROL GATES	40
15-4-20. SPECIAL EVENTS OVERCROWDING ADMINISTRATIVE CONDITIONAL USE PERMITS	41



TITLE 15 - LAND MANAGEMENT CODE (LMC)
CHAPTER 4 - SUPPLEMENTAL REGULATIONS

Chapter adopted by Ordinance No. 02-07

CHAPTER 4 - SUPPLEMENTAL REGULATIONS.

15-4 -1. PURPOSE.

The regulations set forth in this chapter qualify or supplement, as the case may be, the regulations appearing elsewhere in this Code.

15-4 -2. FENCES AND RETAINING WALLS.

(A) LOCATION. Fences and retaining walls may be erected or allowed within the buildable Area, and as allowed in the Setback exceptions in Chapter 2. Any Fence or retaining wall greater than six feet (6') in height, within the Setback areas, requires an administrative Conditional Use permit approved by the Planning, Building and Engineering Departments, unless the Fence or retaining wall is approved as part of a Master Planned Development (MPD) or Conditional Use permit. Any Fence or retaining wall greater than six feet (6') in height requires a Building Permit.

Within any required Front Yard or Street Side Yard, Fences and retaining walls shall not exceed four feet (4') in height, measured from Final Grade.

Fences and retaining walls shall not exceed six feet (6') in height measured from Final Grade within any required Rear Yard or Side Yard. Where a Fence or retaining wall occurs along a Property Line separating two (2) Lots and there is a difference in the Grade of the Properties, the Fence or retaining wall may be erected or allowed to the maximum height permitted on either side of the Property Line.

EXCEPTION

The height of retaining walls in the Front Yard may exceed four feet (4'), measured from Final Grade, subject to approval by the Planning Director and City Engineer, and may exceed six feet (6') in height subject to approval of an administrative Conditional Use permit or as approved as part of a Master Planned Development (MPD) or Conditional Use Permit. ~~with a CUP.~~

The height of retaining walls in the Side or Rear Yards may exceed six feet (6'), measured from Final Grade, subject to

*

*

*

*

* approval of an administrative Conditional Use permit or as approved as part of a Master Planned Development (MPD) or Conditional Use Permit. ~~with a CUP.~~

(B) **RESTRICTIONS ON MATERIALS.** Chain link Fences are prohibited in all zones with the following exceptions, which must be approved by the Planning Director.

- (1) For recreational facilities such as tennis courts,
- (2) As temporary limits of disturbance, fencing during construction as approved by the Planning Department.
- (3) Chain link Fences within the required Yard Areas may be permitted in other circumstances by the Planning Director when it is found that the Fence is necessary in the interest of security or public safety, and when the Fencing needs cannot be reasonably met with any other type of Fencing .

(C) **BERMS.** Berms within the required Yard Area may be constructed subject to the following:

- (1) Landscaping shall be incorporated into the design of the berm and shall extend its entire length.
- (2) Berms shall be designed with sufficient undulation to provide visual relief and shall meander for

the entire length.

- (3) Within Front Yard Areas berms may not be constructed to interfere with required sight distance and may not obstruct driver's line of sight from Streets and roads.

(Amended by Ord. No. 06-22)

15-4 - 3. HOME OCCUPATION.

A Home Occupation is a permitted Accessory Use, conducted and carried on entirely within a dwelling by Persons residing in the dwelling, which Use is clearly incidental and secondary to the Use of the dwelling for dwelling purposes and does not change the residential character thereof.

Only those Persons making the home their primary residence may be employed in a Business operated from that home.

A Home Occupation shall not include the on-Site sale of goods or merchandise except those, which are produced on the premises, or those that are clearly Incidental Retail Sales, and shall not involve the Use of any outdoor yard space to conduct the Business, with the exception of permitted agricultural and horticultural products. Activity outside of the Buildings, related to the Home Occupation that is not normally associated with a residential Use is not permitted.

The Use of mechanical equipment shall be limited to small tools whose Use shall not generate noise, vibration, smoke, dust, heat, glare, or odors perceptible beyond the



TITLE 15 - LAND MANAGEMENT CODE (LMC)
CHAPTER 15 - DEFINITIONS

Chapter adopted by Ordinance No. 00-25

CHAPTER 15 - DEFINED TERMS.

15-15-1. DEFINITIONS.

For the purpose of the LMC, certain numbers, abbreviations, terms, and words shall be used, interpreted, and defined as set forth herein. Defined terms will appear as proper nouns throughout this Title. Words not defined herein shall have a meaning consistent with Webster's New Collegiate Dictionary, latest edition.

Unless the context clearly indicates to the contrary, words used in the present tense include the future tense; words used in the plural number include the singular; the word "herein" means "in these regulations"; the word "regulations" means "these regulations"; "used" or "occupied" as applied to any land or Building shall be construed to include the words "intended, arranged, or designed to be used or occupied".

15-15-1.1. **Access.** The provision of vehicular and/or pedestrian ingress and egress to Structures, facilities or Property.

15-15-1.2. **Accessory Apartment.** A self-contained Apartment, with cooking, sleeping, and sanitary facilities, created either by converting part of and/or by adding on to ~~an existing detached~~ a Single-Family Dwelling or detached garage. Accessory Apartments do not increase the residential Unit Equivalent of the Property and are an Accessory Use to the primary Dwelling.


15-15-1.3. **Accessory Building.** A Building on the same Lot as the principal Building and that is:

- (A) clearly incidental to, and customarily found in connection with such principal Building;
- (B) operated and maintained for the benefit of the principal Use;
- (C) not a Dwelling Unit; and
- (D) not including Structures that do not require a Building Permit, such as sheds, less than 160 square feet.

15-15-1.4. **Accessory Use.** A land Use that is customarily incidental and

*

15-15-1.22. **Bay Window.** A window or series of windows forming a recess or bay from a room and projecting outward from the wall. A Bay Window does not include a window directly supported by a foundation.



* 15-15-1.23. **Bed and Breakfast Inn.** A Business, located in an Owner or on-site manager occupied Dwelling, dwelling, in which ~~two (2) or more~~ up to 10 Bedrooms are rented nightly or weekly, and where one (1) or more meals are provided to the guests only, the price of which is usually included in the room rate. Bed and Breakfast Inns are considered a lodging use where typical lodging services are provided, such as daily maid service.

15-15-1.24. **Bedroom.** A separate room designed for or used as a sleeping room.

15-15-1.25. **Billboard.** A separate room designed for or used as a sleeping room.

15-15-1.26. **Blank Wall.** A wall of a Building faced with a single material of uniform texture and color on a single plan with less than thirty percent (30%) of the surface of the wall as openings or windows.

15-15-1.27. **Block.** A tract of land bounded by Streets, or by a combination of Streets and public parks, cemeteries, railroad Rights-of-Way, shore lines of water ways, or City boundary lines, as shown on an official plat.

15-15-1.28. **Boarding House.** A Business, within a dwelling with two (2) or more Bedrooms where, for direct or indirect compensation, on a monthly basis, the Owner provides lodging and/or common Kitchen facilities or meals for boarders not related to the head of the household. Boarding Houses do not include the Use of Nightly Rental.

15-15-1.29. **Building.** Any Structure, or any part thereof, built or used for the support, shelter, or enclosure of any Use or occupancy by Persons, animals, or chattel.


(A) **Building, Attached.** A Building connected on one (1) or more sides to an adjacent Building by a common Party Wall with a separate exterior entrance for each Building.

(B) **Building, Detached.** Any Building separated from another Building on the same Lot or Parcel.

(C) **Building, Main.** The principal Building, or one of the principal Buildings on a Lot, that is used primarily for the principal Use.

(D) **Building, Public.** A Building constructed by or intended for Use by the general public such as a library, museum, or Building of any political subdivision of the state of Utah or the

elevations at points where the disturbed Area appears to meet the undisturbed portions of the Property. The estimated Natural Grade shall tie into the elevation and Slopes of adjoining Properties without creating a need for a new retaining wall, abrupt differences in the visual Slope and elevation of the land, or redirecting the flow of run-off water.



(C) **Grade, Final.** The finished or resulting Grade where earth meets the Building after completion of the proposed Development Activity.

15-15-1.103. **Grading.** Any earthwork or activity that alters the Natural or Existing Grade, including but not limited to excavating, filling or embanking.

15-15-1.104. **Group Care Facility.** A Building or Structure where care, protection, supervision, and limited medical care are provided on a regular schedule for up to ten

(10) children or adults, including caretakers. May include multiple overnight stays.

15-15-1.105. **Grubbing.** The removal or destruction of vegetation, including disturbance to the root system or soil surface by mechanical, chemical or other means.

15-15-1.106. **Guarantee.** Any form of security including cash, a letter of credit, or an Escrow agreement in an amount and form satisfactory to the City.

15-15-1.107. **Guest House.** An Accessory Building and dwelling intended for non-rent paying guests of the primary Dwelling Unit's residents. Guest Houses are not a lodging use where typical lodging services are provided. Payment is not allowed. *

15-15-1.108. **Habitable Space (Room).** Space in a Structure for living, sleeping, eating, or cooking. Bathrooms, toilet compartments, closets, halls, storage, or utility space, and similar Areas are not considered Habitable Space.

15-15-1.109. **Hard-Surfaced.** Covered with concrete, brick, asphalt, or other impervious surface.

15-15-1.110. **Height, Building.** The vertical distance under any roof or roof element to Existing Grade. See LMC Chapter 15-2, Zoning Districts, for various exceptions within the different Zoning Districts.

*

15-15-1.116. **Hotel/Motel.** A Building containing sleeping rooms for the occupancy of guests for compensation on a nightly basis and accessory facilities such as a lobby, meeting rooms, recreation facilities, ~~and~~ group dining facilities, and/or other facilities or activities customarily associated with hotels, such as daily maid service. These terms do not include Lockout Units or Bed and Breakfast Inns. Hotel/Motels are considered a lodging use. Hotel/Motels are generally an establishment containing guest rooms, some of which have a separate entrance leading directly from the outside of the Building. Payment is generally on a daily or weekly basis.

(A) **Hotel/Motel, Major.** A Hotel, Motel, with more than fifteen (15) Hotel Rooms.

(B) **Hotel/Motel, Minor.** A Hotel, Motel, with fewer than sixteen (16) Hotel Rooms.

15-15-1.117. **Hotel Room.** A Unit consisting of one (1) room, without a Kitchen, intended for temporary living and sleeping purposes and including a separate, exclusive bathroom.

15-15-1.118. **Hotel Suite.** Two (2) or more interconnected Hotel Rooms with a single corridor or exterior Access. May include a Kitchenette.

See Sections 15-15-1.23. Bed and Breakfast Inn, 15-15-1.131. Lockout Unit, and 15-15-1.28. Boarding House.

15-15-1.119. **Impact Analysis.** A

determination of the potential effects(s), environmental, fiscal, social, etc., upon the community of a proposed Development.

15-15-1.120. **Inaction.** An Application is Inactive and subject to denial on the basis of Inactivity if, through the act or omission of the Applicant and not the City:

(A) more than six (6) months has passed since a request for additional information was made by the Department staff without response from the Applicant;

(B) upon notice the Applicant is more than sixty (60) days in default of the payment of any fee assessed by ordinance, or has not paid the fee under protest;

(C) the Applicant has stated an intent to abandon the project;

(D) the Application appears to have been filed in bad faith for the purpose of attempting to vest rights prior to a zoning change, without actual intent to construct the project applied for.

15-15-1.121. **Incidental Retail Sales.** The sale of common items associated with a Home Occupation and not produced on the premises that might be sold along with a product that is, such as a picture frame for a photo, or a swatch of material or extra buttons for an item of clothing, etc.

15-15-1.122. **Indoor Entertainment Facility.** An establishment or enterprise for the purpose of amusing or entertaining Persons for profit or non-profit and generally contained within a Structure. Such Uses

and cut-off emitted light at an angle less than ninety degrees (90°).

(B) **Luminaire, Fully Shielded.** Luminaires that are constructed so that no light rays are emitted at angles above the horizontal plane, as certified by a photometric test report.

(C) **Luminaire, Partially Shielded.** Luminaires that are constructed so that no more than ten percent (10%) of the light rays are emitted at angles above the horizontal plane, as certified by a photometric test report.

15-15-1.139. **Master Planned Development (MPD).** A form of Development characterized by a comprehensive and unified Site plan and design reviewed under the Master Planned Development review processes described in LMC Chapter 15-6. The MPD generally includes a number of housing units; a mix of Building types and land Uses; clustering Buildings and providing Open Space; flexibility in Setback, Height, and Density allocations; and providing additional valued community amenities.

15-15-1.140. **Maximum Extent Feasible.** The maximum mitigation where no prudent, practical and feasible alternative exists to completely mitigate the adverse impact. Economic considerations may be taken into account but shall not be the overriding factor in determining "Maximum Extent Feasible".

15-15-1.141. **Model Home.** A Dwelling Unit used initially for display or marketing purposes which typifies the units that will be

constructed.

15-15-1.142. **Neighborhood Convenience, Commercial.** Any retail establishment offering for sale prepackaged or fresh food products, beverages, household items, or other goods commonly associated with the same, not including automobile fuel sales, and having a maximum Gross Floor Area of 3,500 square feet.

15-15-1.143. **Nightly Rental.** The rental of a Dwelling Unit or any portion thereof, including a Lockout Unit for less than thirty (30) days to a single entity or Person. *
Nightly Rental does not include the Use of Dwelling Units for Commercial Uses.

15-15-1.144. **Non-Complying Structure.** A Structure that:

(A) legally existed before its current zoning designation; and

(B) because of subsequent zoning changes, does not conform with the zoning regulation's Setback, Height restrictions, or other regulations that govern the Structure.

15-15-1.145. **Non-Conforming Use.** A Use of land that:

(A) legally existed before its current zoning designation;

(B) has been maintained continuously since the time the zoning regulation governing the land changed; and

(C) because of subsequent zoning changes, does not conform with the zoning

provided in this ordinance.

(H) **SNOW RELEASE.** Site plans and Building designs must resolve snow release issues to the satisfaction of the Chief Building Official.

(I) **CLEAR VIEW OF INTERSECTION.** No visual obstruction in excess of two feet (2') in height above road Grade shall be placed on any Corner Lot within the Site Distance Triangle. A reasonable number of trees may be allowed, if pruned high enough to permit automobile drivers an unobstructed view. This provision must not require changes in the Natural Grade on the Site.

(Amended by Ord. No. 06-69)

15-2.5-4. ACCESS.

(A) **VEHICULAR ACCESS.** A Project may have only one vehicular Access from Park Avenue, Main Street, Heber Avenue, Swede Alley, or Deer Valley Drive, unless an additional Access is approved by the Planning Commission.

(B) **PEDESTRIAN ACCESS.** An Applicant must build, and if necessary, dedicate a Sidewalk on all Street Frontages.

15-2.5-5. BUILDING HEIGHT.

No Structure shall be erected to a height greater than thirty-two feet (32') from Existing Grade. This is the Zone Height.

(A) **BUILDING HEIGHT EXCEPTIONS.** The following height

exceptions apply:

(1) Gable, hip, gambrel, and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.



(2) Antennas, chimneys, flues, vents, and similar Structures, may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features subject to the Historic District Design Guidelines, may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exception requires approval by the Planning Director.

(5) An Elevator Penthouse may extend up to eight feet (8') above the Zone Height.

(Amended by Ord. No. 06-69)

15-2.5-6. EXISTING HISTORIC STRUCTURES.

Historic Structures that do not comply with

(A) **BUILDING HEIGHT**

EXCEPTIONS. To allow for a pitched roof and to provide usable space within the Structure, the following height exceptions apply:

(1) A gable, hip, gambrel or similarly pitched roof may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.

(2) An antenna, chimney, flue, vent or similar Structure may extend up to five feet (5') above the highest point of the Building to comply with the Uniform Building Code (UBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Ski lift or tramway towers may extend above the maximum Zone Height subject to a visual analysis and administrative approval by the Community Development Department.

15-2.7-5. ARCHITECTURAL REVIEW.

Prior to the issuance of a Building Permit for any Conditional or Allowed Use, the Community Development Department must review the proposed plans for compliance with the Architectural Design Guidelines, LMC Chapter 15-5.

Appeals of Departmental actions on architectural compliance are heard by the Planning Commission.

15-2.7-6. VEGETATION PROTECTION.

The Property Owner must protect Significant Vegetation during any Development activity. Significant Vegetation includes large trees six inches (6") in diameter or greater measured four and one-half feet (4 1/2 ') above the ground, groves of smaller trees, or clumps of oak and maple covering an Area fifty square feet (50 sq. ft.) or more measured at the drip line.

Development plans must show all Significant Vegetation within twenty feet (20') of a proposed Development. The Property Owner must demonstrate the health and viability of all large trees through a certified arborist. The Community Development Director shall determine the Limits of Disturbance and may require mitigation for loss of Significant Vegetation consistent with Landscape Criteria in LMC Chapter 15-3-3 and Title 14.

(Amended by Ord. No. 04-08, Criteria for Vehicle Control Access Gates Deleted)

15-2.7-7. CRITERIA FOR RAISING AND GRAZING OF HORSES.

The raising and grazing of horses may be approved as a Conditional Use by the Community Development Department. In making a determination whether raising and grazing of horses is appropriate, the

- (3) Accessory Building, less than 600 sq. ft.
- (4) Ski-related Accessory Building, less than 600 sq. ft.
- (5) Parking Area or Structure, for five (5) or more spaces
- (6) Recreation Facility, Public
- (7) Mines and Mine Exploration
- (8) Ski Tow Rope, Ski Lift, Ski Run, Ski Bridge¹

(D) **PROHIBITED USES.** Any Use not listed above as an Allowed or Conditional Use is a prohibited Use.

(Amended by Ord. No. 06-69)

15-2.8-3. LOT AND SITE REQUIREMENTS.

All Structures must be no less than twenty-five feet (25') from the boundary line of the Lot, district or public Right-of-Way.

15-2.8-4. BUILDING HEIGHT.

No Structure may be erected to a height greater than twenty-eight feet (28') from existing Grade. This is the Zone Height.

(A) **BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

- (1) Gable, hip, gambrel and similarly pitched roofs may extend up to five feet (5') above the Zone

¹Subject to a City approved Ski Area Master Planned Development and LMC Section 15-4-18.

Height, if the roof pitch is 4:12 or greater.

(2) Antennas, chimneys, flues, vents and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with the International Building Code (IBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened may extend up to five feet (5') above the height of the Building.

(Amended by Ord. No. 06-69)

15-2.8-5. ARCHITECTURAL REVIEW.

Prior to the issuance of a Building Permit for any Conditional or Allowed Use, the Planning Department shall review the proposed plans for compliance with the Architectural Design Guidelines, LMC Chapter 15-5.

Appeals of departmental actions on architectural compliance are heard by the Planning Commission.

(Amended by Ord. No. 06-69)

15-2.8-6. VEGETATION PROTECTION.

The Property Owner must protect Significant Vegetation during any Development activity. Significant Vegetation includes large trees six inches



(Amended by Ord. No. 06-69)

15-2.9-4. BUILDING HEIGHT.

No Structure may be erected to a height of greater than twenty-eight feet (28') from Existing Grade. This is the Zone Height.

(A) BUILDING HEIGHT

EXCEPTIONS. The following height exceptions apply:

*

- (1) Gable, hip, ~~gambrel~~ and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.
- (2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with the International Building Code (IBC) requirements.
- (3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened may extend up to five feet (5') above the height of the Building.
- (4) Church spires, bell towers, and like architectural features, subject to the Architectural Guidelines, LMC Chapter 15-5, may extend up to fifty percent (50%) above the Zone Height, but shall not contain Habitable Space above the Zone Height. Such exceptions require approval by the Planning Director.

(5) An Elevator Penthouse may extend up to eight feet (8') above the Zone Height.

(6) Ski lifts and tramway towers may extend above the Zone Height subject to a Conditional Use Permit, a visual analysis, and compliance with requirements as stated in LMC Section 15-4-18.

(Amended by Ord. No. 06-69)

15-2.9-5. ARCHITECTURAL REVIEW.

Prior to the issuance of a Building Permit for any Conditional or Allowed Use, the Planning Department must review the proposed plans for compliance with the Architectural Design Guidelines, LMC Chapter 15-5.

Appeals of departmental actions on architectural compliance are heard by the Planning Commission.

(Amended by Ord. No. 06-69)

15-2.9-6. SENSITIVE LANDS REVIEW.

All Conditional Uses in the Estate-40 (E-40) District are subject to the Sensitive Lands Overlay (SLO) Zone and to an additional review for hillside stabilization and flood control. The Developer must submit the following materials with a Conditional Use Application:

equipment, hot tubs, and similar Structures located a minimum of five feet (5') from the Side Lot Line.

(Amended by Ord. No. 06-69)

15-2.10-4. BUILDING HEIGHT.

No Structure may be erected to a height greater than twenty-eight feet (28') from Existing Grade. This is the Zone Height.

(A) BUILDING HEIGHT EXCEPTIONS. The following height exceptions apply:



(1) Gable, hip, gambrel and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.

(2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features subject to the Architectural Guidelines, LMC Section 15-5, may extend up to fifty percent (50%) above the Zone Height, but may not contain

Habitable Space above the Zone Height. Such exception requires approval by the Planning Director.

(5) Elevator Penthouses may extend up to eight feet (8') above the Zone Height.

(6) Ski lift and tramway towers may extend above the Zone Height subject to a Conditional Use permit, a visual analysis and compliance with requirements as stated in LMC Section 15-4-18.

(Amended by Ord. No. 06-69)

15-2.10-5. ARCHITECTURAL REVIEW.

Prior to issuance of a Building Permit for any Conditional or Allowed Use, the Planning Department must review the proposed plans for compliance with the Architectural Design Guidelines, LMC Chapter 15-5.

Appeals of departmental actions on architectural compliance are heard by the Planning Commission.

(Amended by Ord. No. 06-69)

15-2.10-6. SENSITIVE LANDS REVIEW.

All Conditional Uses in the Estate (E) District are subject to the Sensitive Lands Overlay (SLO) Zone and to an additional review for hillside stabilization and flood control. The Developer must submit the

(A) **BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

- (1) A gable, hip, gambrel, or similarly pitched roof may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.
- (2) Antennas, chimneys, flues, vents, and similar Structures, may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.
- (3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.
- (4) Church spires, bell towers, and like architectural features subject to the Architectural Guidelines, LMC Chapter 15-5, may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exception requires approval by the Planning Director.
- (5) An Elevator Penthouse may extend up to eight feet (8') above the Zone Height.

(Amended by Ord. Nos. 05-65; 06-76)

15-2.11-5. ARCHITECTURAL REVIEW.

Prior to issuance of a Building Permit for any Conditional or Allowed Use, the Planning Department must review the proposed plans for compliance with the Architectural Design Guidelines, LMC Chapter 15-5.

Appeals of departmental actions on architectural compliance are heard by the Planning Commission.

(Amended by Ord. No. 06-76)

15-2.11-6. MAXIMUM HOUSE SIZE AND SETBACKS ON COMBINED LOTS.

As part of a Master Planned Development, or a subdivision, the Planning Commission may designate maximum house sizes to ensure Compatibility. An Owner may combine Lots with designated maximum house sizes and achieve approximately 150% of the maximum house size attributed to a particular Lot. The Owner must request an increase in maximum house size prior to or concurrent with, the Lot combination plat. The request must be made on forms provided by the Planning Department for review by the Planning Director for compliance with the following:

(A) **HOUSE SIZE.** The maximum house size may not exceed 150 percent (150%) of the house size allowed on each single Lot when those maximums are combined and averaged. The following formula must be used to calculate the maximum house size (MHS):

(B) **FRONT YARD.** The minimum Front Yard is twenty feet (20'). All yards of Structures fronting on any Streets must be considered Front Yards for the purposes of determining required Setbacks. Garages must be a minimum of five feet (5') behind the front facade of the Main Building or underground.

(C) **REAR YARD.** The minimum Rear Yard is ten feet (10').

(D) Front, Rear, and Side Yard Exceptions as stated in Section 15-2.12-3 apply.

15-2.12-5. BUILDING HEIGHT.

No Structure may be erected to a height greater than the Zone Height of twenty-eight feet (28') from Existing Grade. This is the Zone Height.

(A) **BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

*

(1) Gable, hip, gambrel and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.

(2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.

(3) Water towers, mechanical

equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features, subject to the Architectural Design Guidelines, LMC Chapter 15-5, may extend up to fifty-percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exception requires approval by the Planning Department.

(5) Elevator Penthouses may extend up to eight feet (8') feet above the Zone Height.

(6) Ski lifts and tramway towers may extend above the Zone Height subject to a visual analysis and administrative approval by the Planning Commission.

(Amended by Ord. No. 06-76)

15-2.12-6. ARCHITECTURAL REVIEW.

Prior to the issuance of a Building Permit, the Planning Department must review the proposed plans for compliance with the Architectural Design Guidelines, LMC Chapter 15-5.

Appeals of departmental actions on architectural compliance are heard by the Planning Commission.



Structures located a minimum of five feet (5') from the Side Lot Line.

(G) **OTHER EXCEPTIONS.** The Planning Commission may vary Side Yards in Subdivisions and Master Planned Developments. In no case shall the Planning Commission reduce Side Yards to less than ten feet (10') between Structures, except as provided for in Section 15-2.13-3(F)(2).

(Amended by Ord. No. 06-76)

15-2.13-4. BUILDING HEIGHT.

No Structure shall be erected to a height greater than twenty-eight feet (28') from Existing Grade. This is the Zone Height. (1)



(A) **MAXIMUM BUILDING VOLUME AND BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

(1) Gable, hip, ~~gambrel~~ and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.



(2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features subject to the Architectural Guidelines, LMC Chapter 15-5, may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone

(10) Screened mechanical equipment, hot tubs, and similar Structures located a minimum of five feet (5') from the Side Lot Line.

(I) **OTHER EXCEPTIONS.** The Planning Commission may vary Front, Rear and Side Yards in Subdivisions and Master Planned Developments. In no case may the Planning Commission reduce Side Yards to less than ten feet (10') between Structures, except as provided for in LMC Section 15-2.14-3(G) herein.

(Amended by Ord. No. 06-76)

15-2.14-4. BUILDING HEIGHT.

No Structure may be erected to a height greater than twenty-eight feet (28') from Existing Grade. This is the Zone Height.

(A) **MAXIMUM BUILDING VOLUME AND BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

- * (1) Gable, hip, ~~gambrel~~ and similarly-pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.
- (2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features subject to LMC Chapter 15-5 Architectural Guidelines, may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exception requires approval by the Planning Director.

(5) Elevator Penthouses may extend up to eight feet (8') above the Zone Height.

(6) Ski lift or tramway towers may extend above the Zone Height subject to a visual analysis and administrative approval by the Planning Commission.

(7) Salt Lake City 2002 Winter Olympic Games Olympic Legacy Displays, including Olympic way-finding towers, are permitted to a height of sixty-five feet (65').

(Amended by Ord. Nos. 02-38; 06-76)

15-2.14-5. ARCHITECTURAL REVIEW.

Prior to the issuance of a Building Permit for any Conditional or Allowed Use, the Planning Department must review the proposed plans for compliance with the

(8) Driveways leading to an approved garage or Parking Area maintaining a three foot (3') landscaped Setback to the Side Lot Line.

(9) Paths, patios, and steps connecting to a City stairway or path.

(10) Screened mechanical equipment, hot tubs, and similar Structures located a minimum of five feet (5') from the Side Lot Line.

(I) **SNOW RELEASE.** Site plans and Building design must resolve snow release issues to the satisfaction of the Chief Building Official.

(J) **CLEAR VIEW OF INTERSECTION.** No visual obstruction in excess of two feet (2') in height above Road Grade shall be placed on any Corner Lot within the Site Distance Triangle. A reasonable number of trees may be allowed, if pruned high enough to permit automobile drivers an unobstructed view. This provision must not require changes in the Natural Grade on the Site.

(Amended by Ord. No. 06-76)

15-2.15-4. SPECIAL REQUIREMENTS FOR MULTI-UNIT DWELLINGS.

(A) **FRONT YARD.** The Front Yard for any Triplex, or Multi-Unit Dwelling is twenty feet (20'). All new Front Facing Garages shall be a minimum of twenty-five feet (25') from the Front Property Line. All

Yards fronting on any Street are considered Front Yards for the purposes of determining Setbacks. See Front Yard Exceptions, Section 15-2.15-3(D).

(B) **REAR YARD.** The Rear Yard for a Triplex, or Multi-Unit Dwelling is fifteen feet (15'). See Rear Yard Exceptions, Section 15-2.15-3(F).

(C) **SIDE YARD.** The minimum Side Yard for any Triplex, or Multi-Unit Dwelling is ten feet (10'). See Side Yard Exceptions, Section 15-2.15-3(H).

(D) **OPEN SPACE.** The Applicant must provide Open Space equal to at least sixty percent (60%) of the total Site for all Triplex and Multi-Unit Dwellings. Parking is prohibited within the Open Space. This Transferred Development Right (TDR) Open Space must be Natural or Landscaped Open Space.

15-2.15-5. BUILDING HEIGHT.

No Structure shall be erected to a height greater than twenty-eight feet (28') from Existing Grade. This is the Zone Height.

(A) **BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

(1) Gable, hip, ~~gambrel~~ and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.

*

feet (18') in height, located a minimum of five feet (5') behind the front facade of the Main Building and maintaining a minimum Side Yard Setback of five feet (5').

(10) Screened mechanical equipment, hot tub, and similar Structures provided it is located a minimum of five feet (5') from the Side Lot Line.

(I) **SNOW RELEASE.** Site plans and Building design must resolve snow release issues to the satisfaction of the Chief Building Official.

(J) **OPEN SPACE.** On any Lot greater than 25,000 sq. ft. in Area, at least sixty percent (60%) of the Lot must be devoted to Transferred Development Right (TDR) Open Space. This is in addition to any Open Space required as part of a Master Planned Development. TDR Open Space may be either Natural or Landscaped Open Space.

(Amended by Ord. No. 06-76)

15-2.16-4. BUILDING HEIGHT.

No Structure shall be erected to a height greater than thirty-five feet (35') from Existing Grade. This is the Zone Height. See Section 15-2.16-5 Building Height for Single Family Dwellings and Duplexes.

(A) **MAXIMUM BUILDING VOLUME AND BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

(1) Gable, hip, gambrel and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.

(2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features, subject to LMC Chapter 15-5 Architectural Guidelines, may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exception requires approval by the Planning Director.

(5) Elevator Penthouses may extend up to eight feet (8') above the Zone Height.

(6) Ski Lifts and Tramway towers may extend above the Zone Height subject to a visual analysis and administrative approval by the Planning Commission.

(7) Salt Lake City 2002 Winter Olympic Games Olympic Legacy



striping, repaving and landscaping.

(3) **REDUCED SITE REQUIREMENTS.** In the Prospector Square Subdivision, Lots 2 to 38, Front, Side and Rear Yards may be reduced to zero feet (0') except for commercial Lots within the Frontage Protection Zone. This section is not intended to conflict with the exceptions listed above nor shall it be interpreted as taking precedence over the requirement of Section 15-2.18-3(H) Clear View of Intersection Streets.

(Amended by Ord. Nos. 04-11; 06-76)

15-2.18-4. BUILDING HEIGHT.

No Structure shall be erected to a height greater than thirty-five feet (35') from Existing Grade. This is the Zone Height.

(A) **BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

(1) Gable, hip, ~~gambrel~~ and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.

(2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with the International Building Code (IBC).

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features, subject to LMC Chapter 15-5 Architectural Guidelines, may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exception requires approval by the Planning Director.

(5) An Elevator Penthouse may extend up to eight feet (8') above the Zone Height.

(6) Ski lift and tramway towers may extend above the Zone Height subject to a visual analysis and approval by the Planning Commission.

(Amended by Ord. No. 06-76)

15-2.18-5. ARCHITECTURAL REVIEW.

Prior to the issuance of a Building permit for any Conditional or Allowed Use, the Planning Department must review the proposed plans for compliance with the Architectural Design Guidelines, LMC Chapter 15-5.

Appeals of departmental actions on architectural compliance are heard by the Planning Commission.

*

(4) Window sills, belt courses, cornices, trim, and other ornamental features projecting not more than six inches (6") beyond the window or main Structure to which it is attached.

(5) Patios, decks, pathways, steps, and similar Structures not more than thirty inches (30") above Grade, provided there is at least one foot (1') Setback from the Side Lot Line.

(6) Awnings over doorways and windows projecting not more than three feet (3') into the Side Yard.

(7) Fences, walls, and retaining walls not more than six feet (6') in height, or as permitted in Section 15-4-2. Retaining walls may have multiple steps, however, each exposed face cannot exceed six feet (6') in height and the horizontal distance between the walls, front face to rear face, must be at least three feet (3') and planted with approved vegetation. The Planning Director may approve minor deviations to the height and stepping requirements based on Site specific review.⁹

(8) Driveways leading to a garage or Parking Area maintaining a

⁹Fences and walls greater than six feet (6') in height require an administrative Conditional Use permit.

three foot (3') landscaped Setback to the Side Lot Line.

(9) Paths and steps connecting to a City stairway, trail, or path.

(10) Screened mechanical equipment, hot tubs, and similar Structures located a minimum of five feet (5') from the Side Lot Line.

(Amended by Ord. No. 06-76)

15-2.19-6. BUILDING HEIGHT.

No Structure shall be erected to a height greater than thirty feet (30') from Existing Grade. This is the Zone Height.

(A) **BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

(1) Gable, hip, gambrel and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater. *

(2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with the International Building Code (IBC).


(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(B) **FRONT, REAR AND SIDE YARDS.** There are no minimum required Front, Rear, or Side Yard dimensions in the PUT District; however, where new construction abuts a residential zone, the new construction shall meet the required minimum Setback of the abutting zone.

(C) **CLEAR VIEW OF INTERSECTION.** No visual obstruction in excess of two feet (2') in height above Road Grade shall be placed on any Corner Lot within the Site Distance Triangle. A reasonable number of trees may be allowed, if pruned high enough to permit automobile drivers an unobstructed view. This provision must not require changes in the Natural Grade on the Site.

15-2.21-4. MAXIMUM BUILDING HEIGHT.

(A) The maximum Building volume for each Lot is defined by a plane that rises vertically at the Front Lot Line to a height of thirty feet (30') measured above the average Natural Grade and then proceeds at a forty-five degree (45°) angle toward the rear of the Property until it intersects with a point forty-five feet (45') above the Natural Grade and connects with the rear portion of the bulk plane. The maximum Building Height shall be forty-five feet (45') as measured from Existing Grade.



(B) **MAXIMUM BUILDING VOLUME AND BUILDING HEIGHT EXCEPTIONS.** The following height exceptions apply:

(1) Gable, hip, gambrel and similarly pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.

(2) Antennas, chimneys, flues, vents, and similar Structures may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) Church spires, bell towers, and like architectural features may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exceptions require approval by the Planning and Building Departments.

(5) Elevator Penthouses may extend up to eight feet (8') above the Zone Height.

(6) Salt Lake City 2002 Winter Olympic Games Olympic Legacy Displays, including Olympic way-

infrastructure in order to achieve optimum Site circulation.

(3) **PARKING.** Parking for the Master Planned Development is subject to the requirements set forth in Section 15-3. A minimum of sixty percent (60%) of the Master Planned Development's required project parking shall in structured/tiered parking so as to limit the visibility of Parking Areas and parking lot lighting. The Planning Commission may consider reducing the sixty percent (60%) minimum structured/tiered parking requirement based on existing Site topography in locating exterior surface parking to achieve maximum screening of parking from entry corridor Areas and/or to achieve optimum Site circulation and/or shared parking.

(4) **ADDITIONAL ENHANCED PUBLIC BENEFIT DEDICATION.** The Master Planned Development shall provide the inclusion of public recreation facilities and/or land for public and/or quasi-public institutional Uses reasonably related to the General Plan goals for the Area, and impacts of the Development beyond that provided to achieve a project Density of up to one (1) unit per acre by a factor reasonably related to the Density increase sought.

(5) **AFFORDABLE HOUSING.** The Master Planned Development shall provide an

additional five percent (5%) Affordable Housing commitment beyond that required by the City's Affordable Housing Resolution in effect at the time of Application. This is in addition to that provided in Section 15-2.23(A)(8).

15-2.23-5. MAXIMUM BUILDING HEIGHT.

The maximum zone Building height is twenty eight feet (28') from Existing Grade.

(A) **MAXIMUM BUILDING HEIGHT EXCEPTIONS.** To allow for pitched roofs and to provide usable space within the Structure, the following exceptions apply:

(1) A gable, hip, gambrel or similarly pitched roof may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater. *

(2) An antenna, chimney, flue, vent, or similar Structure may extend up to five feet (5') above the highest point of the Building to comply with Uniform Building Code (UBC) requirements.

(3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.

(4) An Elevator Penthouse may extend up to eight feet (8') above the Zone Height.