

ZONING

330 Attachment 13

**Town of Southampton
Illumination Limits
[Added 12-8-2009 by L.L. No. 57-2009]**

Table 1. Illumination Limits: Sidewalks, Doorways, Building Approaches

Task Area	Average Footcandles (fc) Not to Exceed	Uniformity Not to Exceed Maximum to Minimum
Sidewalks	Commercial: 0.5 fc Residential ¹ : 0.2 fc	10:1 10:1
Doorways	Active: 2.0 - 5.0 fc Inactive: 1.0 - 2.0 fc	NA
Building approach	0.2 - 1.0 fc	20:1

Notes:

¹ Including multifamily developments.

Table 2. Illumination Limits: Parking Lots

Task Area	Average Footcandles (fc) Not to Exceed	Minimum Illuminance	Uniformity Not to Exceed Maximum to Minimum
Parking Lots			
Private ¹	0.5 fc	0.13 fc	20:1
Public	0.8 fc	0.2 fc	20:1

Notes:

¹ Including multifamily developments.

Table 3. Illumination Limits: Streetlighting

Roadways	Average Footcandles (fc) Not to Exceed
Local	0.4 fc
Collector	0.6 fc
Crosswalks	0.5 fc

SOUTHAMPTON CODE

Table 4. Illumination Limits: Service (Gas) Station and Canopy Lighting

Gas Station Task Area	Average Footcandles (fc) Not to Exceed	Uniformity Not to Exceed Maximum to Minimum
Approach	1.5 fc	20:1
Driveway	1.5 fc	20:1
Pump island	5 fc	20:1
Service area	2 fc	20:1

Table 5. Illumination Limits: Car Dealerships

Car Dealership Display Area	Maximum Footcandles (fc) Not to Exceed	Uniformity Not to Exceed Maximum to Minimum
Row adjacent to roadway	5 fc	5:1
Other rows	2.5 fc	10:1
Entrance	2.5 fc	5:1
Driveways	1 fc	10:1