

ZONING

315 Attachment 11

City of Burlington

Table 9

**Bufferyard Intensity Factor 2: Alternative Plant Material Standards**  
 [See § 315-52H(11)]

Bufferyard Alternatives	Type of Plants Required(a)	Minimum Quantity of Each Plant Type Required Per 100 feet of Bufferyard Length	Minimum Required Bufferyard Width (feet)	Minimum Structure Type (if required)
Type 2	Canopy/shade trees	0.4	10	Minimum 6-foot- tall solid fence
	Understory trees	0.9		
	Shrubs	3.4		
Type 2A	Canopy/shade trees	1.7	15	2-foot berm
	Understory trees	3.4		
	Shrubs	13.6		
Type 2B*	Canopy/shade trees	2.3	20	None
	Understory trees	2.3		
	Evergreen trees	2.3		
	Shrubs	13.5		
Type 2C*	Canopy/shade trees	2.1	25	None
	Evergreen trees	4.2		
	Shrubs	10.5		
Type 2D*	Evergreen trees	5.9	30	None
	Evergreen shrubs	27.3		
Type 2E	Canopy trees	2.2	30	3-foot berm
	Shrubs	11.0		

NOTES:

\* Not to be used in off-street parking areas.

(a) See § 315-48D(6) for minimum required plant material sizes.