

ZONING

315 Attachment 12

City of Burlington

Table 10

Bufferyard Intensity Factor 3: Alternative Plant Material Standards
 [See § 315-52H(11)]

Bufferyard Alternatives	Type of Plants Required(a)	Minimum Quantity of Each Plant Type Required Per 100 feet of Bufferyard Length	Minimum Required Bufferyard Width (feet)	Minimum Structure Type (if required)
Type 3	Canopy/shade trees	2.3	15	Minimum 6-foot- tall solid fence
	Understory trees	4.6		
	Shrubs	12.4		
Type 3A	Canopy/shade trees	2.3	20	3-foot berm
	Understory trees	4.6		
	Shrubs	18.4		
Type 3B*	Canopy/shade trees	3.4	20	None
	Understory trees	3.4		
	Evergreen trees	3.4		
	Shrubs	20.4		
Type 3C*	Canopy/shade trees	3.2	25	None
	Evergreen trees	6.4		
	Shrubs	16.0		
Type 3D*	Evergreen trees	9.2	30	None
	Evergreen shrubs	42.7		
Type 3E	Canopy trees	5.8	35	None
	Shrubs	29.0		

NOTES:

* Not to be used in off-street parking areas.

(a) See § 315-48D(6) for minimum required plant material sizes.