

ZONING AND LAND DEVELOPMENT

25 Attachment 21

**Bayou R-1 Neighborhood Zones
Schedule of District Regulations
(Subsection 25-204.22.5)**

[Ord. #02-36, §4; Ord. #03-12, §5; Ord. #08-12, §§3, 4; Ord. #09-28, §12; Ord. #09-28, §§7, 12; Ord. #12-19, §5; Ord. #14-25]

| Zone District | Minimum Lot Area (square feet) (10) | | Minimum Lot Width and Lot Frontage (feet) | | Minimum Yard Requirements (feet) | | | Min. Lot Depth (feet) (4) | Maximum Building Height (5,6,7) Pitched Roof (5a) | Total Stories | | Floor Area Ratio (FAR) (percent) | Maximum Building Coverage (percent) | Maximum Impervious Coverage (percent) |
|---------------|-------------------------------------|--------|---|--------|----------------------------------|------------------|------------|---------------------------|--|-------------------|------------|----------------------------------|-------------------------------------|---------------------------------------|
| | Interior | Corner | Interior | Corner | Front (1) | Rear | Side | | | Non-Alley Lots*** | Alley Lots | | | |
| BN-25/2500 | 2500 | 2500 | 25 | 25 | Schedule B | 20% of lot depth | Schedule C | 100 | | 2.6 | - | 90 | 40 | 65 |
| BN-30/3000 | 3000 | 3000 | 30 | 30 | Schedule B | 20% of lot depth | Schedule C | 100 | | 2.4 | - | 84 | 40 | 65 |

NOTES TO SCHEDULE (Bayou R-1 Neighborhood Zones):

- (1) In all zone districts, the minimum front yard setback shall be as indicated on Schedule B, "Schedule of Front Yard Setback Depths by Street." Where development is proposed on lots adjacent to a street not listed on Schedule B, the front yard shall be the average setback of the adjacent buildings on the entire block, as determined from a certified survey provided by the applicant/owner.
- (2)-(3) (Reserved)
- (4) The minimum required lot depth and lot frontage indicated shall be provided, except that:
 - (a) Existing lots with less than the required depth at the time of adoption of this Ordinance, shall be deemed to be conforming for purposes of lot depth, and except that
 - (b) The minimum required lot depth for lots created subsequent to the effective date of this ordinance fronting on the east side of West Avenue between North Street and 59th Street shall be ninety (90) feet.
- (5) See Section 25-300.16 for design controls governing eaves, dormers, half-stories and porches.
- (5a) The maximum permitted eave height for the primary or main roof shall be nineteen feet (19') from the top of the first finished floor. The maximum permitted eave height for a garage that extends towards the street from the principal structure shall be fourteen (14') from grade.
- (6) Where a roof does not meet the definition of pitched, the maximum height of such roof shall be 5 feet less than the permitted roof height.
- (7) Refer to Section 25-209.5, Schedule D – Residential Building Height.
- (8) (Reserved)

OCEAN CITY CODE

- (9) (Reserved)
- (10) In all zone districts the required Minimum Lot Area shall be as indicated in the Schedule of District Regulations, except that the required Minimum Lot Area for lots created subsequent to the effective date of this ordinance (Ord. No. 14-25 was adopted 9-25-14) fronting on the east side of West Avenue between North Street and 59th Street shall be ninety (90) percent of the Minimum Lot Area indicated on the respective Schedule of District Regulations.
- *** Three (3) stories permitted on non-alley lots with lot area less than 2400 square feet.

SCHEDULE B—Schedule of Front Yard Setback Depths by Street (Section 25-209.2)

SCHEDULE C—Schedule of Side Yard Setbacks (Section 25-209.3)