

LAND DEVELOPMENT ORDINANCE

21 Attachment 1

SCHEDULE I
STORMWATER MANAGEMENT FUND CALCULATION
 (Subsection 21-55.14)

(Adopted 3-19-07 by Ord. No. 2066)

STRUCTURAL STORMWATER COMPONENTS	INSPECTION	COST PER YEAR	MAINTENANCE	COST PER YEAR
Inlets & Manholes SWC001	One (1) time a year for cracking, spalling and subsidence of structure. Two (2) times a year for sediment, trash or debris removal. 2 × \$50.00	\$100.00	One (1) time a year for repair of structure removal. Two (2) times a year for sediment trash or debris removal. 1 × \$100.00 2 × \$50.00	\$200.00
Outlet Control Structure SWC002	Four (4) times a year as well as every storm exceeding a 1" rainfall for clogging, debris and sediment accumulation along with cracking, spalling or subsidence of structure. 5 × \$50.00	\$250.00	One (1) time a year for repair of structure. Four (4) times a year for removal of sediment, trash or debris. 1 × 100.00 4 × \$50.00	\$300.00
Manufactured Stormwater Treatment Structures SWC003 <i>Such as units supplied by Vortech, CDS Stormceptor, Stormtech, Aquashield and Hydro International</i>	Four (4) times a year as well as every storm exceeding a one inch (1") rainfall for clogging, excessive debris and sediment accumulation along with cracking, spalling or subsidence of structure. 5 × \$50.00	\$250.00	One (1) time a year for repair of structure. Four (4) times a year for removal and disposal of debris, trash and sediment removal. 1 × \$100.00 4 × \$500.00	\$2,100.00
Drywells SWC004	Four (4) times a year as well as every storm exceeding one inch (1") of rainfall of water level in test well for 72 hour maximum. 5 × \$50.00	\$250.00	Removal of debris, trash and sediment. 4 × \$50.00	\$200.00

TOWNSHIP OF OCEAN CODE

<p>Bioretention System SWC005 (<i>soil bed planted with vegetation located above an underdrained sand layer.</i>)</p>	<p>Four (4) times a year as well as every storm exceeding one inch (1") of rainfall for clogging, excessive debris and sediment accumulation.</p> <p>One (1) time a year for erosion, scour, unwanted growth of vegetative area.</p> <p>One (1) time a year for cracking, subsidence, spalling of structural components.</p> <p style="text-align: right;">5 × \$50.00</p>	<p style="text-align: right;">\$250.00</p>	<p>Removal and disposal of debris. Four (4) times a year.</p> <p>Mowing of grass. Twelve (12) times a year.</p> <p>Maintaining vegetative cover.</p> <p style="text-align: right;">4 × \$50.00 12 × \$75.00 1 × \$100.00</p>	<p style="text-align: right;">\$1,200.00</p>
<p>Detention Basins SWC006</p>	<p>Four (4) times a year as well as every storm exceeding one inch (1") of rainfall for clogging, debris and accumulation of sediment of basin bottom, low flow channels and riprap aprons.</p> <p style="text-align: right;">5 × \$50.00</p>	<p style="text-align: right;">\$250.00</p>	<p>Removal and disposal of debris. Four (4) times a year.</p> <p>Mowing and trimming of vegetation. Once a month.</p> <p>Removal of unwanted growth. Once a year.</p> <p>Structure repair of cracking, spalling or subsidence of structure.</p> <p style="text-align: right;">4 × \$50.00 12 × \$75.00 1 × \$100.00 1 × \$100.00</p>	<p style="text-align: right;">\$1,300.00</p>

LAND DEVELOPMENT ORDINANCE

<p>Infiltration Basins SWC007</p>	<p>Four (4) times a year as well as every storm exceeding a one (1") rainfall for clogging.</p> <p>Excessive debris and sediment accumulation. Check two (2) times a year. Vegetative health, density and diversity.</p> <p>Two (2) times a year check total infiltration in 72 hours after a storm.</p> <p style="text-align: right;">5 × \$50.00 2 × \$100.00</p>	<p style="text-align: right;">\$450.00</p>	<p>Removal and disposal of debris and sediment.</p> <p>Removal of unwanted vegetation. One (1) time a year.</p> <p>Mowing and/or trimming of vegetation Twelve (12) times a year.</p> <p style="text-align: right;">4 × \$50.00 1 × \$100.00 12 × \$75.00</p>	<p style="text-align: right;">\$1,200.00</p>
<p>Sand Filters SWC008</p>	<p>Four (4) times a year as well as every storm exceeding a one inch (1") rainfall for clogging, excessive debris and sediment accumulation. One(1) time a year sand filter bottom to be checked for unwanted vegetation. One (1) time a year restoration of vegetation. Two (2) times a year check for total infiltration in 72 hours after a storm.</p> <p style="text-align: right;">5 × \$50.00 2 × \$200.00</p>	<p style="text-align: right;">\$650.00</p>	<p>Removal and Disposal of debris and sediment.</p> <p>Mowing and/or trimming of vegetation. Twelve times a year.</p> <p>One time a year restoration of vegetation and removal of unwanted vegetation</p> <p style="text-align: right;">4 × \$50.00 12 × \$75.00 1 × \$100.00 1 × \$100.00</p>	<p style="text-align: right;">\$1,300.00</p>

